

**IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER  
Monitoring Requirements Not Met for Sierra Los Pinos HOA Water System**

*Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda.*

Our water system violated drinking water requirements during the past. Even though this was not an emergency, as our customers, you have a right to know what happened and what we are doing to correct this situation.

*\*We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During 2013 to 2016 we did not monitor for lead and copper and, therefore, cannot be sure of the quality of our drinking water during that time. \**

**What should you do?**

There is nothing you need to do at this time.

The table below lists the contaminants we did not properly test for during the past, how often we are supposed to sample, how many samples we are supposed to take, how many samples we took, when samples should have been taken, and the date on which follow-up samples will be taken.

Contaminants	Required sampling frequency	Number of samples required	Number of samples collected	Date sampling should have been done	Date follow-up samples taken or will be taken
Lead and Copper	Every 3 years	5	0	June 1 <sup>st</sup> to September 30 <sup>th</sup> in 2013, 2014, 2015, or 2016	June 1 to September 30, 2017

**What is being done?** [Describe corrective action.] Follow-up samples will be taken June 1 to Sept. 30, 2017.

**For more information, please contact:**

Mr. Harold Corn at 575-829-3636 or at  
Sierra Los Pinos HOA, WSS # NM3565423  
950 Forest Road #10  
Jemez Springs, NM 87025

*\*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.\**